


MAXIMATOR anti-vibration collet gland assemblies are for use in applications where there could be extreme external mechanical vibrations or shock in tubing lines. These collet gland assemblies are interchangeable with the standard medium pressure coned and threaded tube connections.

In a normal coned and threaded tube connection, any external mechanical loading on the tubing lines, valves or fittings would be concentrated on the first thread of the tube. This can cause failure of the tube at this thinner cross-section. The anti-vibration collet gland assembly grips the tube behind the connection, supporting the tube at the full cross-section and straight area, moving the loading away from the threaded area.

The back part of the assembly has a gland nut that, when tightened properly, compresses a split collet on the tube, providing the beneficial gripping action.

All anti-vibration collet gland assemblies come with a Molybdenum Disulfide Coating to guard against galling of the stainless components.



Gland Pattern	Catalog Number	Part	O.D. Tubing Size (in.)	Dimensions (in.)			
				A	B (Hex.)	C (Hex.)	D
	21AVA4M	Complete Assembly	1/4	1.26	0.62	0.63	1.06
	21AVB4M	Collet Body					
	21AVC4M	Slotted Collet					
	21AVG4M	Gland Nut					
	21AVA6M	Complete Assembly	3/8	1.56	0.81	0.81	1.30
	21AVB6M	Collet Body					
	21AVC6M	Slotted Collet					
	21AVG6M	Gland Nut					
	21AVA9M	Complete Assembly	9/16	1.91	0.94	0.94	1.60
	21AVB9M	Collet Body					
	21AVC9M	Slotted Collet					
	21AVG9M	Gland Nut					
	21AVA12M	Complete Assembly	3/4	2.02	1.25	1.25	1.60
	21AVB12M	Collet Body					
	21AVC12M	Slotted Collet					
	21AVG12M	Gland Nut					
21AVA16M	Complete Assembly	1	2.44	1.50	1.50	1.77	
21AVB16M	Collet Body						
21AVC16M	Slotted Collet						
21AVG16M	Gland Nut						
15AVA24M	Complete Assembly	1-1/2	3.78	2.25	1.88	2.830	
15AVB24M	Collet Body						
15AVC24M	Slotted Collet						
15AVG24M	Gland Nut						